

Date of Issue: 20/12/2018

REV. NR.

Product Information Sheet

in accordance with Regulation (CE) n.1907/2006 (REACH)

K-FLEX K-FIRE PIPE WRAP

1. IDENTIFICATION OF THE A	RTICLE AND OF THE COMPANY/UNDERTAKING
1.1. Product Identifier	
Article/Mixture identificat	
Trade name:	K-FLEX K-FIRE PIPE WRAP
Shape:	Stripes and Wraps
Trade code:	isol013f
1.2. Relevant identified uses of the article/mixture and uses advised against	
Recommended use:	
Flexible intumescent sheet material for fire separating walls and floors	
1.3. Details of the supplier of the information sheet:	
Distributor:	
K-FLEX Polska SP. z o.o.	
ul. Pucka 112, 81-154 Gdynia, Polska	
Company:	
L'Isolante K-Flex SpA	
Via Leonardo da Vinci 36, 20877. Roncello, MB, Italy	
Phone: +39 039 68 24	
	onsible for the information sheet:
Kflex-Reach@isolante	
1.4. Emergency telephone number	
Phone: +39 039 68 24.1 (9:00 – 17:00 hours) In case of accident, locate the nearest antipoison centres in the following link:	
WHO http://apps.who.i	
WHO http://apps.who.	ni/poisoncentres/
2. HAZARDS IDENTIFICATION	
2.1. Classification of the artic	
The finished product c	
	heet material in plastic sleeve
	ngerous and has no risk factors under the conditions of its use.
	g to REACH Regulation n. 1907/2006/CE and 2001/60/CE, it contains
	d in Candidate List SVHC in quantities $\geq 0.1\%$ (w/w). Thus, it does not
	ording to Regulation 1907/2006/CE.
Adverse physicochem	cal, human health and environmental effects:
No other hazards	
2.2. Label elements	
Symbols:	
None	
Hazard atatamanta:	

Hazard statements:

None

Precautionary statements:

None Special Provisions:

None

2.3. Other hazards PBT / vPvB substance: none

K-FLEX K-FIRE PIPEWRAP

Page n. 1 of 7

👹 K-Flex Polska Sp. z o.o.



Product Information Sheet

in accordance with Regulation (CE) n.1907/2006 (REACH)

K-FLEX K-FIRE PIPE WRAP

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Identification of the substance:

- Not Available.
- 3.2. Article/Mixtures:

Articles of specially designed intumescent sheet in different shapes and dimensions.

4. FIRST AID MEASURES

- 4.1. Description of first aid measures
 - In case of skin contact:

During the processing of the product the contact with skin is unlikely. Use protective gloves. The product has also no special risks related to its use.

In case of eyes contact:

During the processing of the product the contact with eyes is unlikely. The contact with the eyes can occur through contaminated hands or dust.

Rinse immediately with plenty of water and seek medical advice.

The product has also no special risks related to its use.

In case of ingestion:

Due to the particular shape of the product, is unlikely that the swallow occurs. The contact with the mouth can occur through contaminated hands or dust.

- The product has also no special risks related to its use.
- In case of Inhalation:

During the processing of the product, inhalation of particles and dust is unlikely.

The product has also no special risks related to its use.

- 4.2. Most important symptoms and effects, both acute and delayed No known symptoms to date.
- 4.3. Indication of any immediate medical attention and special treatment needed Treatment:

No known treatment to date.

5. FIRE-FIGHTING MEASURES

- 5.1. Extinguishing media
 - Suitable extinguishing media: Water. Carbon dioxide (CO2). Chemical dry powder. Water spray.

Extinguishing media which must not be used for safety reasons: No data available.

- 5.2. Special hazards arising from the substance or mixture Burning smoke and fumes of carbon oxide (CO), carbon dioxide (CO2), sulphur dioxide (SO2) and alogens (Br, Cl).
- 5.3. Advice for fire-fighters

🐱 K-Flex Polska Sp. z o.o.

Use suitable breathing apparatus . Collect contaminated fire extinguishing water separately. This must not be discharged into drains.Move undamaged containers from immediate hazard area if it can be done safely.

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures Wear personal protection equipment. Remove persons to safety.

> K-FLFX K-FIRF PIPFWRAP Page n. 2 of 7



Product Information Sheet

in accordance with Regulation (CE) n.1907/2006 (REACH)

K-FLEX K-FIRE PIPE WRAP

See protective measures under point 7 and 8.

6.2. Environmental precautions

The product does not present any particular risk for the environment, however, do not allow to to enter into soil/subsoil and the runoff into surface water or drains as a waste. Retain contaminated washing water and dispose it.

In case of run-off into waterways, soil or drains as a waste, inform the responsible authorities. 6.3. Methods and material for containment and cleaning up

Washing avoiding penetration of the pigments supported by the film into soil/subsoil, the runoff into surface water or drains.

Suitable material for taking up: absorbing material, organic, sand.

Wash with compatible material

6.4. Reference to other sections See also section 8 and 13

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

The product can be handled without special precautions in the conditions required for its use. However, avoid contact with skin and eyes through contaminated hands or dust.

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recomened protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Storage class (Germany only): LGK 13 non-flammable solid.

Keep away from food, drink and feed.

Incompatible materials:

Strong oxidizers and acids.

Instructions as regards storage premises:

- Adequately ventilated premises.
- 7.3. Specific end use(s) Flexible intumescent sheet material for fire separating walls and floors

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters None.

DNEL Exposure Limit Values

Not Available.

PNEC Exposure Limit Values

Not Available.

8.2. Exposure controls

Eye protection:

Goggles. Operate according good working practices.

Protection for skin:

Full suite. Operate according good working practices.

Protection for hands:

Disposable gloves. Operate according good working practices.

Respiratory protection:

Not needed for normal use. During the processing of the product the inhalation of the product and dust unlikely. Anyway, operate according good working practices.

K-FLEX K-FIRE PIPEWRAP

Page n. 3 of 7



Date of Issue: 20/12/2018

REV. NR.

Product Information Sheet

in accordance with Regulation (CE) n.1907/2006 (REACH)

K-FLEX K-FIRE PIPE WRAP

Thermal Hazards: Self-estinguishing. None. Environmental exposure controls:. Local exhaust and general ventilation.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance: solid Odour: characteristic pH: 7 (aqueous extraction) Melting point: not applicable Solid/gas flammability: Euroclass (EN 13501) Water solubility: insoluble Density: Not available Decomposition temperature: Not applicable

9.2. Other information

None

10. STABILITY AND REACTIVITY

10.1. Reactivity

- Stable under normal conditions.
- 10.2. Chemical stability Stable under normal conditions.
- 10.3. Possibility of hazardous reactions
 - Reaction may occour with strong oxidizing agent.
- 10.4. Conditions to avoid Eliminate ignition sources.
- 10.5. Incompatible materials

Strong mineral acids (nitric acid, hydrochloric acid, sulfuric acid, hydrofluoric acid), bromine, chlorine, hydrogen peroxide, aniline, benzene, chloroform, Freon 11, fuel FAM, carbon tetrachloride, trichloroethylene and xylene (reaction moderate or intensive). Avoid contact with strong oxidants

10.6. Hazardous decomposition products Decomposition products in case of fire: carbon oxide (CO), carbon dioxide (CO2), and alogens (Br, Cl).

11. TOXICOLOGICAL INFORMATION

- 11.1. Information on toxicological effects
 - Toxicological information of the article: Not Available.

If not differently specified, the information required in Regulation 453/2010/EC listed below must be considered as not available:

- a) acute toxicity;
- b) skin corrosion/irritation;
- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;
- f) carcinogenicity;

K-FLEX K-FIRE PIPEWRAP

Page n. 4 of 7

🐱 K-Flex Polska Sp. z o.o.



Product Information Sheet

in accordance with Regulation (CE) n.1907/2006 (REACH)

K-FLEX K-FIRE PIPE WRAP

g) reproductive toxicity;

h) STOT-single exposure;

i) STOT-repeated exposure;

j) aspiration hazard.

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment as a waste.

Ecotoxicological information of the article:

- Not Available. 12.2. Persistence and degradability
 - Not Available.
- 12.3. Bioaccumulative potential Not Available.
- 12.4. Mobility in soil Not Available.
- 12.5. Results of PBT and vPvB assessment None
- 12.6. Other adverse effects None known to date.

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste disposal according to local waste disposal regulation.

Preferebly waste disposal in landfill (solid waste).

For this product incineration is not recommended (due to the release of decomposition products) .

List I of Directive 76/464/EEC: Water pollution by discharges of certain dangerous substances.

Directive 80/68/EEC: on the protection of groundwater against pollution caused by certain dangerous substances.

14. TRANSPORT INFORMATION

14.1. UN number

Not classified as dangerous in the meaning of transport regulations.

14.2. UN proper shipping name

Not classified as dangerous in the meaning of transport regulations.

- 14.3. Transport hazard class(es) Not classified as dangerous in the meaning of transport regulations.
- 14.4. Packing Group
- Not classified as dangerous in the meaning of transport regulations. 14.5. Environmental hazards
- Not classified as dangerous in the meaning of transport regulations.
- 14.6. Special Precautions for User
 - Not classified as dangerous in the meaning of transport regulations.
- 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not classified as dangerous in the meaning of transport regulations.

K-FLEX K-FIRE PIPE®WRAP

Page n. 5 of 7



Product Information Sheet

in accordance with Regulation (CE) n.1907/2006 (REACH)

K-FLEX K-FIRE PIPE WRAP

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the article/mixture

Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Directive (EC) n. 1999/45 Regulation (EC) n. 790/2009 (ATP 1 CLP) Regulation (EU) n. 453/2010 (Annex I) Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP)

Where applicable, refer to the following regulatory provisions :

Directive 76/464/EEC: Water pollution by discharges of certain dangerous substances Directive 80/68/EEC: on the protection of groundwater against pollution caused by certain dangerous substances

VOC Regulations: French Regulation DEVL1101903: VOC emission class A+ Compliance of AgBB/DIBt German Requirement of 2012. Compliance of the Belgium Royal Decree to the indoor environment from construction product of 2012

15.2. Chemical Safety Assessment No

16. OTHER INFORMATION

Based on the information received from suppliers, the product is an article according to REACH Regulation No. 1907/2006/CE and 2001/60/CE. It contains no substances included in Candidate List SVHC (Substances of Very High Concern) in quantities $\geq 0.1\%$ (w/w). Thus, according to Regulation No. 1907/2006/CE, a full MSDS (Material Safety Data Sheet) is not necessary and it cannot be issued for articles free of SVHC substances

According to Article 33 of the REACH Regulation No. 1907/2006, any changes regarding the presence of SVHC will be promptly notified.

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECHA database GESTIS Database ACGIH Publication of 2012

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

K-FLEX K-FIRE PIPEWRAP

Page n. 6 of 7

👹 K-Flex Polska Sp. z o.o.



Date of Issue: 20/12/2018

REV. NR.

Product Information Sheet

in accordance with Regulation (CE) n.1907/2006 (REACH)

K-FLEX K-FIRE PIPE WRAP

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	
	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
ICAO:	International Civil Aviation Organization.
IMDG:	International Maritime Code for Dangerous Goods.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
PNEC:	Predicted No Effect Concentration.
LGK	Storage classes (Germany only)
RID:	Regulation Concerning the International Transport of Dangerous Goods
	by Rail. Short Term Evenesure limit
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWATLV:	Threshold Limit Value for the Time Weighted Average 8 hour day.
	(ACGIH Standard).
WGK:	German Water Hazard Class.

K-FLEX K-FIRE PIPEWRAP

Page n. 7 of 7

Numer NIP: 958-15-06-813 Numer KRS: 0000117734 Sąd Rejonowy Gdańsk Północ w Gdańsku VIII Wydział Krajowego Rejestru Sądowego Kapitał zakładowy w wysokości 22.137.000,00 PLN